


Certified LED Lights®

Product Data Sheet
Disk Downlight



Product Overview

This thin 6" disk surface mount downlights are perfect for both new construction and retrofit applications. The 6" disk light is Kelvin selectable in 2.7K, 3K, 3.5K, 4K, 5K.

Unlike traditional fixtures with a fixed output, these low-profile units feature an integrated CCT switch located on the back of the driver. Beyond their adjustability, these "disk" style lights are prized for their surface-mount design, which mimics the look of a recessed pot light but can be installed directly onto a standard junction box. This makes them an ideal choice for areas where ceiling clearance is limited by joists or HVAC ducting.

With their back-lit LED technology providing flicker-free, even distribution and a high CRI (Color Rendering Index), these fixtures don't just offer flexibility in hue—they provide a sophisticated, modern aesthetic that evolves with the changing function of any room. They come with a five-year warranty, reflecting its durability and reliability.

- * Color Temperature: 2700K / 3000K / 3500K / 4000K / 5000K
- * High Lumens Output: 1,213
- * Standard input 120VAC
- * Standard Triac dimmable
- * Applications: Surface mount
- * CRI: >90
- * 90 degree beam angle
- * Power Factor: 0.9
- * Lifetime: 50,000 hours
- * Working temperature: -4°F to 140°F
- * Easy Installation, labor Cost Saving

Product Warranty



Applications



Garages



Homes



General area



Stairs

Highlights and Certifications



UL Listed




Wet Location



Triac
dimmable



Energy Star



Field selectable CCT 5-way switch

Key Specifications




- * UL Listed
- * Energy Star
- * Five year warranty
- * Suitable for wet locations



2700K
3000K
3500K
4000K
5000K



Dimensions



Clips for traditional
recessed can

Ordering Guide

PART#	LUMENS	WATTS	LUMEN /WATT	CCT COLOR TEMPS
D236-90-CCT-WH	1,100	15	73	2.7K, 3K, 3.5K, 4K, 5K

Accessories and installation

