



Certified LED Lights®

Product Data Sheet
Exit Sign



Product Overview

Exit signs are essential life-safety devices designed to clearly identify emergency exit routes in commercial, industrial, and public buildings. Built for reliability and continuous operation, modern LED exit signs provide bright, energy-efficient illumination and dependable performance during normal conditions and power outages, helping ensure safe and orderly evacuation in emergency situations.

The EXTSGN-RED and the remote control EXTSGN-RED-RC series LED exit sign combines an attractive, easy-to-install, compact, contemporary design with proven, reliable electronics to provide the very best in energy-efficient emergency lighting. These units are completely self-contained, featuring a universal mounting canopy and are standard with universal single / double sided faces. This exit sign comes with 5-yr warranty on all electronics and housing. The battery is prorated for five

- * Ultra bright, energy efficient, long life Red LED Emergency
- * Dual 120/277 voltage
- * Charge rate/power "ON" LED indicator light and push-to-test switch for mandated code compliance testing
- * 1.2V 700 mAh long life, maintenance-free, rechargeable NiCd battery
- * Internal solid-state transfer switch automatically connects the internal battery to LED board for minimum 90-minute emergency illumination
- * Fully automatic solid-state, two rate charger initiates battery charging to recharge a discharged battery in 24 hours
- * **Mounting:** EZ-snap mounting canopy included for top or side mount
- * Universal knockout pattern on back plate for wall mount
- * **Housing:** Injection-molded, engineering grade, 5VA flame retardant, high-impact resistant, thermoplastic in white or black finish
- * EZ snap-out Chevron directional indicators

Product Warranty



Applications



Schools



Offices



Commercial
Buildings



Healthcare

Highlights and Certifications



UL Listed



Damp Location




California
Energy
Compliant

Key Specifications

- * Five year warranty on all electronics and housing. Battery prorated for five years
- * Meets UL924, NFPA 101 Life Safety Code, NEC, OSHA, Local and State Codes
- * UL Listed for damp locations (0°C – 50°C)
- * Certified to CEC under Title 20 Regulations

Dimensions



Ordering Guide

PART #	No of faces		Letter Color	Color	Battery		Feature
EXTSGN-RED	2	Universal Single/	Red	White	EM	Backup	
EXTSGN-BLK	2	Universal Single/	Red	Black	EM	Backup	
EXTSGN-RED-RC	2	Universal Single/	Red	White	EM	Backup	Remote capable

Fire Resistant ABS Material

Emergency battery:
90-minute emergency
illumination



Included rechargeable
1.2V battery

Test Button + Charge
Indicator